

Material Safety Data Sheet

Material Name: PASSERITE 3000 B-1

ID: 237937NRT275 / IDH No. 643682

*** Section 1 - Chemical Product and Company Identification ***

Product Trade Name PASSERITE 3000 B-1

Manufacturer Information

Henkel Technologies
Henkel Corporation
32100 Stephenson Highway
Madison Heights, MI 48071

Contact Phone: (248) 583-9300

Chemtrec Emergency # (800) 424-9300

*** Section 2 - Composition / Information on Ingredients ***

CAS #	Component	Percent
Proprietary	Styrene acrylic polymer	10-30
7789-09-5	Ammonium bichromate	<1

Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Chromium (VI) (18540-29-9), Chromium (VI) compounds- water soluble, Chromium (VI) compounds, Chromium compounds, Chromates, Dichromates, Chromium, inorganic compounds.

*** Section 3 - Hazards Identification ***

Emergency Overview:

CAUTION! Contact with this material can cause irritation to the skin, eyes and mucous membranes. Cancer Hazard. Contains material which can cause cancer.

Eye Contact:

This product may cause irritation to the eyes.

Skin Contact:

This product may cause irritation to the skin.

Skin Absorption:

A component in this product may be absorbed through the skin, especially if skin is damaged.

Ingestion:

Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

Inhalation:

Inhalation of vapors or mists of the product may be irritating to the respiratory system. Prolonged or repeated breathing may cause ulceration of nasal membranes.

Medical Conditions Aggravated by Exposure:

Pre-existing eye, skin and respiratory disorders.

*** Section 4 - First Aid Measures ***

Eye Contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. If irritation persists get medical attention.

Skin Contact:

For skin contact, wash immediately with soap and water. If irritation persists, get medical attention.

Ingestion:

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Inhalation:

If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist.

Material Safety Data Sheet

Material Name: PASSERITE 3000 B-1

ID: 237937NRT275 / IDH No. 643682

*** Section 5 - Fire Fighting Measures ***

Flash Point: > 200 °F

Method Used: Calculated

Flammability Classification: Non-flammable

Upper Flammable Limit (UFL): Not applicable

Lower Flammable Limit (LFL): Not applicable

Fire & Explosion Hazards:

This product is an aqueous mixture which will not burn.

Decomposition Products:

Irritating and toxic gases or fumes may be released during a fire. Carbon monoxide and carbon dioxide. Decomposition of this product may emit oxides of nitrogen.

Extinguishing Media:

Use methods for the surrounding fire.

Fire-Fighting Instructions:

Firefighters should wear full protective clothing including self contained breathing apparatus.

*** Section 6 - Accidental Release Measures ***

Containment Procedures:

Stop the flow of material, if this is without risk. Do not allow the spilled product to enter public drainage system or open water courses. Wear appropriate protective equipment and clothing during clean-up.

Clean-Up Procedures:

Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of collected material according to regulation.

*** Section 7 - Handling and Storage ***

Handling Procedures:

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists of this product. Do not take internally. For industrial use only.

Storage Procedures:

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Store below 110 °F (43.3 °C). Protect from freezing.

*** Section 8 - Exposure Controls / Personal Protection ***

Exposure Guidelines:

A: General Product Information

Follow all applicable exposure limits.

B: Component Exposure Limits

Ammonium bichromate (7789-09-5)

ACGIH: 0.05 mg/m³ TWA (as Cr) (related to Chromium (VI) compounds, water-soluble)

OSHA: 2.5 µg/m³ Action Level; 5 µg/m³ TWA (Cancer hazard - See 29 CFR 1910.1026) (related to Chromium (VI))

NIOSH: 0.001 mg/m³ TWA (as Cr) (related to Chromates)

Engineering Controls:

Ventilation should effectively remove and prevent buildup of any vapor or mist generated from the handling of this product.

PERSONAL PROTECTIVE EQUIPMENT

As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1910.132), employers must perform a Hazard Assessment of all workplaces to determine the need for, and selection of, proper protective equipment for each task performed.

Material Safety Data Sheet

Material Name: PASSERITE 3000 B-1

ID: 237937NRT275 / IDH No. 643682

Eyes/Face Protective Equipment:

Wear chemical goggles; face shield (if splashing is possible).

Skin Protection:

Use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.

Respiratory Protection:

If ventilation is not sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Work Practices:

Eye wash fountain and emergency showers are recommended.

*** Section 9 - Physical & Chemical Properties ***

Physical State:	Liquid	Appearance:	Yellow
Odor:	Mild	Vapor Pressure:	Not determined
Vapor Density:	Not determined	Boiling Point:	>212 °F (100 °C)
Specific Gravity:	1.01-1.03 @ 60 °F (16 °C)	pH:	6.6 - 8.0
Viscosity:	Not determined	VOC:	Not determined
Solubility Water:	Complete	Evaporation Rate:	Not determined
Percent Volatile:	Not applicable	Percent Solids:	<26.0

*** Section 10 - Chemical Stability & Reactivity Information ***

Chemical Stability:

Stable under normal conditions.

Incompatibility:

Avoid strong oxidizing agents.

Decomposition Products:

Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons.

Hazardous Polymerization:

Will not occur.

*** Section 11 - Toxicological Information ***

Acute Toxicity:

A: General Product Information

Industrial exposure to chromium may cause dermatitis, skin ulcers, perforation of the nasal septum, as well as cancers of the lungs, nasal cavity and paranasal sinuses.

B: Component Analysis - LD50/LC50

Ammonium bichromate (7789-09-5)

Inhalation LC50 Rat: 0.156 mg/L/4H; Oral LD50 Rat: 53.75 mg/kg; Dermal LD50 Rabbit: 1640 mg/kg

Carcinogenicity:

A: General Product Information

No information available for the product.

Material Safety Data Sheet

Material Name: PASSERITE 3000 B-1

ID: 237937NRT275 / IDH No. 643682

B: Component Carcinogenicity

Ammonium bichromate (7789-09-5)

- ACGIH: A1 - Confirmed Human Carcinogen (related to Chromium (VI) water soluble compounds)
OSHA: Workers exposed to Cr(VI) are at an increased risk of developing lung cancer - see 29 CFR 1910.1026 (related to Chromium (VI))
NIOSH: potential occupational carcinogen (related to Chromium (VI) compounds)
NTP: Known Carcinogen (related to Chromium hexavalent compounds) (Select Carcinogen)
IARC: Monograph 49 [1990], Supplement 7 [1987], Monograph 23 [1980], Monograph 2 [1973] (Group 1 (carcinogenic to humans))

Chronic Toxicity

Excessive exposure to chromium VI can produce allergic skin sensitization reactions and severe nasal irritation, scarring and damage to the lungs, liver and kidney damage.

Epidemiology:

No information available for the product.

Neurotoxicity:

No information available for the product.

Mutagenicity:

Chromium VI compounds have been mutagenic in bacteria, caused chromosome aberrations in mammalian cells and have been associated with increased frequencies of chromosome aberrations in lymphocytes in chromate workers.

Teratogenicity:

Chromium VI compounds have caused birth defects and affected fertility in laboratory animals.

Other Toxicological Information:

None available.

* * * Section 12 - Ecological Information * * *

Ecotoxicity:

A: General Product Information

No data available for this product.

B: Component Analysis - Ecotoxicity - Aquatic Toxicity

Ammonium bichromate (7789-09-5)

Test & Species		Conditions
96 Hr LC50 Gambusia affinis	136 mg/L	
24 Hr EC50 water flea	435 µg/L	related to Chromium (VI)

Environmental Fate:

No data is available concerning the environmental fate, biodegradation or bioconcentration for this product.

* * * Section 13 - Disposal Considerations * * *

US EPA Waste Numbers & Descriptions:

A: General Product Information

This product contains chromium which is a hazardous waste (D007).

B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions:

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

* * * Section 14 - Transportation Information * * *

US DOT Information

Shipping Name: Please refer to the container label for transportation information.

Material Safety Data Sheet

Material Name: PASSERITE 3000 B-1

ID: 237937NRT275 / IDH No. 643682

*** Section 15 - Regulatory Information ***

US Federal Regulations

A: General Product Information

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

B: Component Analysis

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

Ammonium bichromate (7789-09-5)

SARA 313: 0.1 % de minimis concentration (except for chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the chromite ore processing residue (COPR).
Chemical Category N090) (related to Chromium (VI) compounds)

CERCLA: 10 lb final RQ; 4.54 kg final RQ

SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No Reactive: No

State Regulations

A: General Product Information

No additional information available.

B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS #	CA	FL	MA	MN	NJ	PA
Ammonium bichromate (related to Chromium (VI))	7789-09-5	Yes	No	Yes	Yes ¹	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer.

Other Regulations

A: General Product Information

All components are on the U.S. EPA TSCA Inventory List.

B: Component Analysis - Inventory

Component	CAS #	TSCA	DSL	EINECS
Ammonium bichromate	7789-09-5	Yes	Yes	Yes

C: Component Analysis - WHMIS IDL

No components are listed in the WHMIS IDL.

*** Section 16 - Other Information ***

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

HMIS Ratings: Health: 1* Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

Key/Legend

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; NFPA = National Fire Protection Association; HMIS = Hazardous Material Identification System; CERCLA = Comprehensive Environmental Response, Compensation and Liability Act; SARA = Superfund Amendments and Reauthorization Act

Material Safety Data Sheet

Material Name: PASSERITE 3000 B-1

ID: 237937NRT275 / IDH No. 643682

The information presented herein is believed to be factual as it has been derived from the works and opinions of persons believed to be qualified experts; however, nothing contained in this information is to be taken as a warranty or representation for which Henkel Surface Technologies bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Contact: Product Safety and Regulatory Affairs

Contact Phone: (248) 583-9300

This is the end of MSDS # 237937NRT275 / IDH No. 643682