

## SAFETY DATA SHEET

Revision Date 04-29-2016 Version 2

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### **Product identifier**

Product Code(s) 21424200-M **Product Name RUST VETO 4242** 

**Recommended Use** Rust Preventative Uses advised against Any other purpose.

## Manufacturer, Importer, Supplier

Houghton International Inc. Houghton Canada Houghton Mexico S.A. de C.V. Madison & Van Buren Aves. 915 Meyerside Drive Efraín Gonzalez Luna, 2007 Depto19 Valley Forge, PA 19482 Mississauga Col. Americana, Guadalajara, Jalisco CP. 44160,

Telephone: 610-666-4000 FAX: 610-666-1376 ON

Website: www.houghtonintl.com L5T 1R8 Mexico

Customer Service: 888-459-9844 Phone: +52-333-615-9331

#### Emergency telephone number

3E Company 1-866-519-4752 (USA, Canada, Mexico)

Company Access Code: 333938

## **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Aspiration toxicity	Category 1
Flammable liquids	Category 4

#### Label elements

#### Signal word DANGER

### **Hazard statements**

May be fatal if swallowed and enters airways Combustible liquid



#### **Precautionary Statements**

#### **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response** 

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

**Precautionary Statements - Storage** 

Store locked up

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Health Not Applicable.
Physical Not Applicable.

#### Other Information

Prolonged skin contact may defat the skin and produce dermatitis Repeated exposure may cause skin dryness or cracking

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

This product is a mixture. Health hazard information is based on its ingredients.

Chemical name	CAS No	Weight-%
Highly refined, low viscosity mineral	-	25% - 60%
oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)		
Highly refined, low viscosity base oil (Viscosity <7	-	25% - 60%
cSt @40°C)		
Paraffin waxes (petroleum), hydrotreated	64742-51-4	1% - 2.5%
Highly refined base oil (Viscosity >20.5 cSt @40°C)	-	1% - 2.5%
Calcium bis(dinonylnaphthalenesulphonate)	57855-77-3	1% - 2.5%

The exact percentage (concentration) of composition has been withheld as a trade secret.

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. See Section 15 for additional information on base oils.

## **SECTION 4: FIRST AID MEASURES**

### **Description of first-aid measures**

General advice Immediate medical attention is required. Do not get in eyes, on skin, or on clothing.

**Inhalation** Move to fresh air. Get medical attention immediately if symptoms occur. Potential for

aspiration if swallowed.

**Skin contact** Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing.

Ingestion If symptoms persist, call a physician. Do not induce vomiting without medical advice. Clean

mouth with water and afterwards drink plenty of water. Aspiration hazard if swallowed - can

enter lungs and cause damage.

**Protection of First-aiders**Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Most important symptoms and effects, both acute and delayed

Main Symptoms May be fatal if swallowed and enters airways

Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

## **SECTION 5: FIRE FIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use CO2, dry chemical, or foam, Water spray or fog, Cool containers / tanks with water spray

### Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire

#### Special hazards arising from the substance or mixture

## **Special Hazard**

In the event of fire and/or explosion do not breathe fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Combustible material. Risk of ignition. This material creates a fire hazard because it floats on water. Thermal decomposition can lead to release of irritating gases and vapors.

## **Hazardous decomposition products**

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

## Advice for firefighters

#### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition.

Advice for non-emergency

personnel

Eliminate all ignition sources if safe to do so.

Advice for emergency responders For personal protection see section 8.

#### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

#### Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dike to collect large liquid spills. After cleaning, flush away traces with water.

#### Reference to other sections

See Section 8/12/13 for additional information

## **SECTION 7: HANDLING AND STORAGE**

### Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Remove all sources of ignition.

### Conditions for safe storage, including any incompatibilities

## **Technical measures/Storage conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of children.

#### **Recommended Shelf Life**

No information available.

#### Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases

## Specific end uses

Specific use(s) Rust Preventative

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA WEEL
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	5 mg/m³ as mist	5 mg/m³ as mist		
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	5 mg/m³ as mist	5 mg/m³ as mist		
Paraffin waxes (petroleum), hydrotreated 64742-51-4	5 mg/m <sup>3</sup> as mist	5 mg/m <sup>3</sup> as mist		
Highly refined base oil (Viscosity >20.5 cSt @40°C)	5 mg/m³ as mist	5 mg/m³ as mist		

Hydrocarbon solvent vapor mixtures which do not have substance specific occupational exposure limits may be evaluated by the Reciprocal Calculation Procedure (RCP) which assigns a recommended occupational exposure limit based on the mass composition and hydrocarbon group guidance values (GGVs). Applicable recommended occupational exposure limits are shown in the table below.

Chemical name	RCP OEL	Manufacturer
Paraffin oils		TWA: 5 mg/m <sup>3</sup> excluding metal working
8012-95-1		fluids, highly & severely refined

Chemical name	RCP OEL	Manufacturer
Distillates (petroleum), hydrotreated middle	RCP: TWA 1200 mg/m <sup>3</sup> 143ppm	

\_\_\_\_\_

64742-46-7	

Chemical name	RCP OEL	Manufacturer
Distillates (petroleum), hydrotreated middle 64742-46-7	RCP: TWA 1200 mg/m <sup>3</sup> 143ppm	
Distillates (petroleum), hydrotreated light 64742-47-8	RCP: TWA 1200 mg/m <sup>3</sup> 182ppm	
Naphtha (petroleum), hydrotreated heavy 64742-48-9	RCP: TWA 1000 mg/m <sup>3</sup>	
C12-C14 isoalkanes 68551-19-9	RCP: TWA 1200 mg/m <sup>3</sup>	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m <sup>3</sup>	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 600 mg/m³	
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0.03% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m³	
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 150ppm TWA: 1200 mg/m³	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics NOT AVAILABLE	TWA: 171 ppm TWA: 1200 mg/m <sup>3</sup>	
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics NOT AVAILABLE	RCP C9-C15 aliphatics: 600mg/m <sup>3</sup>	
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	TWA: 165 ppm TWA: 1200 mg/m³	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP: TWA 1200 mg/m <sup>3</sup> 182ppm	
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m <sup>3</sup>	
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m <sup>3</sup>	
Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics NOT AVAILABLE	RCP: TWA 600 mg/m³	CEFIC-HSPA: 1200 mg/m³

## Exposure controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Wear protective gloves/clothing.

Respiratory protection No special protective equipment required. In case of mist, spray or aerosol exposure wear

suitable personal respiratory protection and protective suit.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Physical stateliquidAppearanceclear amberOdorNo information availableOdor thresholdNot applicable

**PMCC** 

<u>Property</u> <u>Values</u> <u>Remarks</u>

pH No information available
Melting point / freezing point
Boiling point / boiling range
Flash point

No information available
No information available
> 61 °C / > 142 °F

Evaporation rate Solic / Solic

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressureNo information availableVapor densityNo information available

Relative density 0.84 @15.5°C g/cm3

Solubility(ies) Insoluble in water Partition coefficient Not applicable

Autoignition temperature No information available No information available

Kinematic viscosity < 7 cSt @ 40 °C ASTM D 445

Explosive properties Not applicable
Oxidizing Properties Not applicable

Other Information

Viscosity, kinematic (100°C) No information available

Pour Point No information available

VOC Content (ASTM E-1868-10)358 g/LASTM E 1868-10VOC contentNo information available

## **SECTION 10: STABILITY AND REACTIVITY**

#### Reactivity

None under normal use conditions

## Chemical stability

Stable under normal conditions

### Possibility of hazardous reactions

None under normal use conditions

#### Conditions to avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity, Keep away from open flames, hot surfaces and sources of ignition

## Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases

## Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

**Product Information** May be harmful if swallowed and enters airways

Inhalation Risk of serious damage to the lungs (by aspiration)

Eye contactBased on available data, the classification criteria are not metSkin contactBased on available data, the classification criteria are not metIngestionRisk of product entering the lungs on vomiting after ingestion

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
Paraffin waxes (petroleum), hydrotreated 64742-51-4	10000 mg/kg ( Rat )	> 3600 mg/kg (Rabbit)	
Highly refined base oil (Viscosity >20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
Calcium bis(dinonylnaphthalenesulphonate) 57855-77-3	>4000 mg/kg(Rat)		

## Information on toxicological effects

Symptoms May be fatal if swallowed and enters airways. Prolonged skin contact may defat the skin

and produce dermatitis.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Specific target organ toxicity (single Based on available data, the classification criteria are not met.

exposure)

Specific target organ toxicity

(repeated exposure)

Based on available data, the classification criteria are not met.

**Aspiration hazard** Risk of serious damage to the lungs (by aspiration).

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No special environmental measures are necessary

<u>Persistence and degradability</u> The product is not readily biodegradable, but it can be degraded by micro-organisms, it is

regarded as being inherently biodegradable.

\_\_\_\_\_

\_\_\_\_

Bioaccumulation No information available

**Mobility** The product is insoluble and floats on water. Is not likely mobile in the environment due its

low water solubility.

Other adverse effects No information available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations.

Contaminated packaging Observe all label precautions until container is cleaned, reconditioned or destroyed.

## **SECTION 14: TRANSPORT INFORMATION**

DOT

UN/ID no NA1993

Proper shipping name COMBUSTIBLE LIQUID, N.O.S.

Ш

128

Hazard Class Combustible liquid

Packing Group Emergency Response Guide

Number

Description NA1993, COMBUSTIBLE LIQUID, N.O.S. (Highly refined, low viscosity mineral

oils/hydrocarbons), Combustible liquid, III

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG Not regulated

## **SECTION 15: REGULATORY INFORMATION**

### **International Inventories**

Complies **TSCA** DSL Complies **AICS** Complies Complies **PICCS** Complies **KECL** Complies **IECSC ENCS** Complies Complies **TCSI** 

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

#### TCSI - Taiwan National Existing Chemical Inventory

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	no
Fire hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this regulation, Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

#### SCAQMD Rule 1144

The sale or distribution in the SCAQM District of California for metal working fluids or direct-contact lubricants is allowed if EITHER the VOC of the product itself OR the VOC of the diluted product at the point of use is less than the following limits: (1) 75 g VOC/L for metal forming, metal removal, metal treating; (2) 50 g VOC/L for metal protection, direct-contact lubricant. The VOC of this product as sold is: 358 g/L gVOC/L (ASTM E-1868-10)

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **International Regulations**

## Ozone-depleting substances (ODS)

Not applicable

## **Persistent Organic Pollutants**

Not applicable

## **Chemicals Subject to Prior Informed Consent (PIC)**

Not applicable

#### Other Information

Not applicable

## The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers REACH registration numbers:

Chemical name	CAS No
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed,	101316-72-7
hydrogenated	
Lubricating oils (petroleum), used, noncatalytically refined	101316-73-8
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Residual oils (petroleum), solvent-refined	64742-01-4
Extracts (petroleum), residual oil solvent	64742-10-5
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5

Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Residual oils (petroleum), hydrotreated	64742-57-0
Lubricating oils (petroleum), hydrotreated spent	64742-58-1
Residual oils (petroleum), solvent-dewaxed	64742-62-7
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
Lubricating oils	74869-22-0
Paraffin oils	8012-95-1
White mineral oil (petroleum)	8042-47-5

## The highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt $@40^{\circ}$ C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name	CAS No
Distillates (petroleum), straight-run middle	64741-44-2
Distillates (petroleum), heavy hydrocracked	64741-76-0
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Distillates (petroleum), hydrotreated middle	64742-46-7
Distillates (petroleum), hydrotreated middle	64742-46-7
Distillates (petroleum), hydrotreated light	64742-47-8
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
White mineral oil (petroleum)	8042-47-5
Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE

# The highly refined, low viscosity base oil (Viscosity <7 cSt $@40^{\circ}$ C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

CAS No
64742-46-7
64742-46-7
64742-47-8
64742-48-9
64742-53-6
64742-55-8
64742-56-9
68551-19-9
8042-47-5
848301-69-9
90622-46-1
90622-53-0
90622-58-5
NOT AVAILABLE
NOT AVAILABLE
NOT AVAILABLE
NOT AVAILABLE

Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	NOT AVAILABLE
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE
Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics	NOT AVAILABLE

## SECTION 16: OTHER INFORMATION

NFPA Health hazards 1 Flammability 2 Instability 0 Physical and chemical properties -

Key or legend to abbreviations and acronyms used in the safety data sheet

STOT SE - Specific target organ systemic toxicity (Single exposure)

STOT RE - Specific target organ systemic toxicity (repeated exposure)

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

VOC - Volatile organic compounds

**Revision Date** 

04-29-2016

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**